IN THE CLAIMS:

Listing of Claims:

- 1 Claim 1 (amended herein) A skateboard that is adapted to be ridden by a user standing
- 2 upon it, comprising: an elongated extruded aluminum metal board; said metal board having
- a front end, a rear end, a top surface, a bottom surface, a left edge, a right edge, a width
- 4 adapted to accommodate the user's feet in a direction generally perpendicular to the
- 5 longitudinal axis of the board, and multiple continuous, closed cavity forming members
- 6 extending substantially the length of the board, at least one of the cavity forming members
- having a height H1 and a width W2 and W2 is greater than H1, one said closed cavity
- 8 forming members located along a central longitudinal axis of said board, one said closed
- 9 cavity forming members adjacent to said left edge, and one said closed cavity forming
- 10 members adjacent to said right edge.
- 1 Claim 2 (original) A skateboard as recited in claim 1, wherein said metal board has an
- 2 arcuate shaped front end and an arcuate shaped rear end.
- 1 Claim 3 (original) A skateboard as recited in claim 1, wherein said metal board has an
- 2 arcuate shaped front end and an arcuate shaped rear end.
- 1 Claim 4 (original) A skateboard as recited in claim 3, wherein plastic end guards are
- secured to said front and rear ends of said metal board.
- 1 Claim 5 (original) A skateboard as recited in claim 1, wherein said top surface of said
- 2 metal board has a concave transverse contour.
- 1 Claim 6 (original) A skateboard as recited in claim 1, wherein said metal board has a bent-
- 2 up front tip portion and a bent-up rear tip portion.

- 1 Claim 7 (original) A skateboard as recited in claim 1, further comprising front and rear
- 2 skateboard trucks secured to said bottom surface of said metal board.
- 1 Claim 8 (original) A skateboard as recited in claim 1, wherein said board deflects less than
- 2 0.162 in. with a load of 200 lbs.
- 1 Claim 9 (original) A skateboard as recited in claim 1, wherein said board deflects less than
- 2 0.203 in. with a load of 250 lbs.
- 1 Claim 10 (original) A skateboard as recited in claim 1, wherein the elongated metal board
- 2 includes a top wall, a bottom wall and N longitudinally elongated support walls that define
- 3 N-1 longitudinally elongated cavity forming members extending substantially the length of
- 4 the board.
- 1 Claim 11 (original) A skateboard as recited in claim 1, wherein end guards are secured to
- 2 said front and rear ends of said metal board at said multiple continuous, closed cavity
- 3 forming members.
- 1 Claim 12 (original) A skateboard as recited in claim 1, wherein at least one of said multiple
- 2 continuous, closed cavity forming members includes a filler.
- 1 Claim 13 (original) A skateboard as recited in claim 12, wherein said filler is a member
- 2 selected from the group consisting of foam, foam plastic, wood, wood composite, and an
- 3 inflatable bladder.
- 1 Claim 14 (original) A skateboard as recited in claim 1, wherein said metal board includes a
- 2 first, central longitudinally elongated cavity forming section having a generally rectangular
- 3 cross section, second and third adjacent longitudinally elongated cavity forming sections
- 4 having generally rectangular cross sections that are narrower then the cross section of the
- 5 first section, fourth and fifth adjacent longitudinally elongated cavity forming sections

- 6 having generally rectangular cross sections of approximately the same cross section as the
- 7 cross section of the first section, and sixth and seventh adjacent longitudinally elongated
- 8 cavity forming sections having generally rectangular cross sections of approximately the
- 9 same cross section as the cross section of the first section.